

MEGA BITUMEN

Cold Applied Bitumen Emulsion

DESCRIPTION

- **MEGA BITUMEN** water based , cold applied bitumen emulsion for uses as a waterproofing and protective coating , complied with Din 18 195 part 2
- Waterproof coating for roofs ,basements ,wet rooms , underground structures , bathrooms etc .
- Interior and exterior for water tanks .
- Protective coating for foundations , pipe joints etc..
Protective coating against rust

ADVANTAGES

- * Cold , clean , and dry application.
- * Economical cost comparing to hot applied bitumen .
- * Can be used on damp surfaces.
- * Protective coating against aggressive salts and chemical in soil and underground water.
- * Good adhering to all surfaces , concrete ,steel ,wood etc..

INSTRUCTIONS OF USES

- Surface should be clean , free of dust and impurity .
- Stir well before use and apply primer coat diluted with water at ratio of 1:2.
- After 3 hours apply subsequent coating (2 or 3 coats) .
- For subsequent coating it may be diluted with 10 –20 % of water .
Thinning should be only with water.

TECHNICAL INFORMATION

Density at 25° C	1.05 kg/l	Drying time	2 hours
pH	9 – 11	Over coating time	3 hours

STRENGTH in Construction

CONSUMPTION

- * For protective coating 0.5 kg \ m²
- * For waterproofing coating 1- 2 kg \ m²

PACKAGES

- * 4 kg , 15 kg , 200 kg

STORAGE

- * 6 months in sealed packs, under suitable storage conditions.

TECHNICAL SERVICES

For further information, on-site assistance and trails, Please contact our technical advisory services.